

Feature-Based Elderly Behavior Detection and Prediction in Smart Homes

Malihe Erfanmanesh
Master Student

Department of Computer Science
and Engineering and IT
Shiraz University, Shiraz, Iran
Email: m.erfanmanesh@shirazu.ac.ir

Hooman Tahayori
Assistant Professor

Department of Computer Science
and Engineering and IT
Shiraz University, Shiraz, Iran
Email: tahayori@shirazu.ac.ir

Andrea Visconti
Assistant Professor

Department of Computer Science
Universita degli Studi di Milano
Milano, Italy, 20135
Email: andrea.visconti@unimi.it

Abstract— One of the capabilities of smart home in the healthcare domain is helping elderly to live independently. This demands for detecting and monitoring their normal activities of daily living (ADLs). By considering changes in the occurrence of these normal activities we can decide about declining the health status of the elderly. Hence, the possibility of preventive care for some elderly people would be partly provided. In this paper, we propose a method for detection and prediction of elderly activities by extracting several features from available information. Obtained results reveal that the proposed features are more effective for detection and prediction of elderly behavior.

Keywords- activity recognition; machine learning; classification; behavior prediction; smart home

REFERENCES

- [1] E. Demir, E. Köseoğlu, R. Sokullu, and B. Şeker, "Smart Home Assistant for Ambient Assisted Living of Elderly People with Dementia," *Procedia Comput. Sci.*, vol. 113, pp. 609–614, 2017.
- [2] A. Lotfi, C. Langensiepen, P. A. Moreno, E. J. Gómez, and S. Chernbumroong, "An Ambient Assisted Living Technology Platform for Informal Carers of the Elderly," vol. 3, no. 9, pp. 438–442, 2017.
- [3] D. J. Cook and D. J. Cook, "Assessing the Quality of Activities in a Smart Environment Corresponding," vol. 48, no. 5, pp. 480–485, 2009.
- [4] G. Singla, D. J. Cook, and M. Schmitter-Edgecombe, "Recognizing independent and joint activities among multiple residents in smart environments," *J. Ambient Intell. Humaniz. Comput.*, vol. 1, no. 1, pp. 57–63, 2010.
- [5] G. Singla and D. J. Cook, "Interleaved Activity Recognition for Smart Home residents," *Ambient Intell. Smart Environ. Intell. Environ.* 2009, pp. 145–152, 2009.
- [6] M. Raeiszadeh and H. Tahayori, "A novel method for detecting and predicting resident's behavior in smart home," *2018 6th Iran. Jt. Congr. Fuzzy Intell. Syst. CFIS 2018*, vol. 2018–Janua, pp. 71–74, 2018.
- [7] P. Rashidi, D. J. Cook, L. B. Holder, and M. Schmitter-Edgecombe, "Discovering activities to recognize and track in a smart environment," *IEEE Trans. Knowl. Data Eng.*, vol. 23, no. 4, pp. 527–539, 2011.
- [8] F. Amirjavid, A. Bouzouane, and B. Bouchard, "Activity modeling under uncertainty by trace of objects in smart homes," *J. Ambient Intell. Humaniz. Comput.*, vol. 5, no. 1, pp. 159–167, 2014.
- [9] Z. Liouane, T. Lemlouma, P. Roose, F. Weis, and H. Messaoud, "An improved extreme learning machine model for the prediction of human scenarios in smart homes," *Appl. Intell.*, pp. 1–14, 2017.
- [10] H. H. Mshali, T. Lemlouma, and D. Magoni, "Context-Aware Adaptive Framework for e-Health Monitoring," *Proc. - 2015 IEEE Int. Conf. Data Sci. Data Intensive Syst. 8th IEEE Int. Conf. Cyber, Phys. Soc. Comput. 11th IEEE Int. Conf. Green Comput. Commun. 8th IEEE Inte*, pp. 276–283, 2015.